## **BILL OF MATERIALS**

5	····*+	3.1	
Por	TTT FFT	1 111	mber

## SUBMIT WITH CORRESPONDING PLANS AND APPLICATION FOR BUILDING PERMIT

cant	tAddress_	Phone				
er	Address	Phone				
1.	EXCAVATION: Bearing Soil					
2.	FOUNDATIONS:	a de la constante de				
•	Concrete Spec	Wetland comment coat (Y?N):				
	Footing sizes					
	Wall size & material	Termite protection				
	Column Footing size	Anchor Bolts				
	Girders size & material	s size & material Footing drain size				
3.	SLAB ON GRADE: Ground cover	Perimeter Insulation				
4.	CRAWL SPACE: Depth(38"min)	Ground cover				
5.	CHIMINEY: Material	Flue lining				
	Prefab. Make/size	Water heater				
6.	FIREPLACES: [ ]Solid Fuel [ ]Gas	s Burning []Masonry []Pre-Fab. []Free Standing				
	Ash Dump	Ash Clean-out				
		Lining				
	Hearth	Mantle				
7.	EXTERIOR WALLS:					
	Stud grad/species	Size/spacing				
	Corner Bracing	Sheathing				
	Siding	Masonry Veneer				
	Brick Ties	Building paper/vapor barrier				
8.	FLOOR FRAMING; FIRST FLOOR;					
	Joist grade/species	Size/Spacing/Bridging				
	Sub-floor Material	Finished Floor Material				
	SECOND FLOOP	ξ.				
	Joist grade/species	Size/Spacing/Bridging				
	Sub-floor Material	Finished Floor Material				
9.	PARTITION FRAMING:					
	Stud grade/species	Size/Spacing/Bridging				
10.	CEILING JOISTS;	<ul> <li>a</li> </ul>				
	Joist grade/species	Size/Spacing/Bridging				
11.	ROOF FRAMING:	ing the second sec				
	Rafters grade/species	Size/Spacing/Bridging				
	Ridge Size					
		Size/Spacing Bridging				
12.	ROOFING:	3				
	Manufacture	Weight				

Date

TAIRS: Note: Minimums Rise 8-1 Width	Rise	Run	<u>6</u>	
PLUMBING: (PER CODE)				
Sink Drain Size	Vent Size	Lavatory Drain Size	Vent Size	
Watercloset Drain Size				
Stall Shower Drain Size				
House Drain Size/Material				
SEWAGE DISPOSAL:	. V	9		
Septic System – Approved by		. Town Sew	er Inspector	
HEATING:			20 M	
Manufacture				
BTU Rating				
Flue Type/Size				
ATTIC VENTILATION:				
Total Ceiling Area	Sq Ft Net Vent	Area	40.4	Sq F
Soffit Area				
WINDOWS: (SEE NYS ENERGY		6		
Single Glaze (Y/N) Insulated	Glazing (Y/N)	Storas/Screens		125
Manufacture			к.	_
EXTERIOR DOORS:		2 d	12	
Manufacture/Sizes		Insulated(Y/N)		- -
Storas/Screens				
ELECTRICAL WIRING:	)) 译 使音	1		
Inspected by the NYS Board of Fire	Underwriters (Y/N)	Signed		
Oil Burner Safety Switch (Y/N)	Smoke I	Detectors		
INSULATION AND VAPOR BAR				
LIST: S	SIZE. MATERIAL, R FA	ACTOR VAPOR BARRIER		
Roof	Ceiling	3		2
Walls	Slab P	erimeter		
	Floors	shove uphasted areas	2	
Foundation Walls	110015	above unneated areas		
Foundation Walls Water Pipes				

premise. Furthermore, that all Ordinances. Building Codes and other laws pertaining to the proposed work shall be satisfied, and that the work as describe herein is authorized by the owner of said property.